

PubMed

U.S. National Library of Medicine
National Institutes of Health

Filter your results: All (95)

[Manage Filters](#)

Display Settings: Summary, 100 per page, Sorted by Link Ranking

Results: 95

- ☐ [\[The capacity of albumin to bind to beta-amyloid\].](#)
1. Costa M, Ortiz AM, Jorquera JI.
Rev Neurol. 2010 Mar 16;50 Suppl 5:S1-4. Spanish.
PMID:20517864[PubMed - indexed for MEDLINE] [Free Article](#)

☐ [\[Human Albumin Grifols 5% in plasmapheresis: a new therapy involving beta-amyloid mobilisation in Alzheimer's disease\].](#)

 2. Boada-Rovira M.
Rev Neurol. 2010 Mar 16;50 Suppl 5:S9-18. Spanish.
PMID:20517866[PubMed - indexed for MEDLINE] [Free Article](#)

☐ [\[Therapeutic plasmapheresis and experience in Alzheimer's disease\].](#)

 3. Anaya F.
Rev Neurol. 2010 Mar 16;50 Suppl 5:S5-8. Spanish.
PMID:20517867[PubMed - indexed for MEDLINE] [Free Article](#)

☐ [Permeability and residual plasma volume of human, Dutch variant, and rat amyloid beta-protein 1-40 at the blood-brain barrier](#)

 4. Poduslo JF, Curran GL, Haggard JJ, Biere AL, Selkoe DJ.
Neurobiol Dis. 1997;4(1):27-34.
PMID:9258909[PubMed - indexed for MEDLINE]

☐ [Amyloid-beta peptides interact with plasma proteins and erythrocytes: implications for their quantitation in plasma.](#)

 5. Kuo YM, Kokjohn TA, Kalback W, Luehrs D, Galasko DR, Chevallier N, Koo EH, Emmerling MR, Roher AE.
Biochem Biophys Res Commun. 2000 Feb 24;268(3):750-6.
PMID:10679277[PubMed - indexed for MEDLINE]

☐ [Differential binding of vascular cell-derived proteoglycans \(perlecan, biglycan, decorin, and versican\) to the beta-amyloid protein in Alzheimer's disease.](#)

 6. Snow AD, Kinsella MG, Parks E, Sekiguchi RT, Miller JD, Kimata K, Wight TN.
Arch Biochem Biophys. 1995 Jun 20;320(1):84-95.
PMID:7793986[PubMed - indexed for MEDLINE]

☐ [The evolution of A beta peptide burden in the APP23 transgenic mice: implications for A beta deposition in Alzheimer disease.](#)

 7. Kuo YM, Beach TG, Sue LI, Scott S, Layne KJ, Kokjohn TA, Kalback WM, Luehrs DC, Vishnivetskaya TA, Abramowski D, Sturchle Pierrat C, Staufienbiel M, Weller RO, Roher AE.
Mol Med. 2001 Sep;7(9):609-18.
PMID:11778650[PubMed - indexed for MEDLINE] [Free PMC Article](#)

☐ [Differential modulation of plasma beta-amyloid by insulin in patients with Alzheimer disease.](#)

 8. Kulstad JJ, Green PS, Cook DG, Watson GS, Reger MA, Baker LD, Plymate SR, Asthana S, Rhoads K, Mehta PD, Craft S.
Neurology. 2006 May 23;66(10):1506-10.
PMID:16717209[PubMed - indexed for MEDLINE]

☐ [No correlation between time-linked plasma and CSF Abeta levels.](#)

 9. Le Bastard N, Aerts L, Leurs J, Blomme W, De Deyn PP, Engelborghs S.
Neurochem Int. 2009 Dec;55(8):820-5. Epub 2009 Aug 18.
PMID:19695299[PubMed - indexed for MEDLINE]

☐ [Amyloid beta protein 1-40 and 1-42 levels in matched cerebrospinal fluid and plasma from patients with Alzheimer disease.](#)

 10. Mehta PD, Pirttila T, Patrick BA, Barshatzky M, Mehta SP.
Neurosci Lett. 2001 May 18;304(1-2):102-6.

PMID:11335065[PubMed - indexed for MEDLINE]

- ☐ Permeability of proteins at the blood-brain barrier in the normal adult mouse and double transgenic mouse model of Alzheimer disease.
- 11.

Poduslo JF, Curran GL, Wengenack TM, Malester B, Duff K.

Neurobiol Dis. 2001 Aug;8(4):555-67.

PMID:11493021[PubMed - indexed for MEDLINE]

- ☐ The normal equilibrium between CSF and plasma amyloid beta levels is disrupted in Alzheimer's disease.

12. Giedraitis V, Sundelöf J, Irizarry MC, Gårevik N, Hyman BT, Wahlund LO, Ingelsson M, Lannfelt L.

Neurosci Lett. 2007 Nov 12;427(3):127-31. Epub 2007 Sep 20.

PMID:17936506[PubMed - indexed for MEDLINE]

- ☐ Heritability of plasma amyloid beta in typical late-onset Alzheimer's disease pedigrees.

13. Ertekin-Taner N, Graff-Radford N, Younkin LH, Eckman C, Adamson J, Schaid DJ, Blangero J, Hutton M, Younkin SG.

Genet Epidemiol. 2001 Jul;21(1):19-30.

PMID:11443731[PubMed - indexed for MEDLINE]

- ☐ Identification of peptides that specifically bind Abeta1-40 amyloid in vitro and amyloid plaques in Alzheimer's disease brain using phage display.

14. Kang CK, Jayasinha V, Martin PT.

Neurobiol Dis. 2003 Oct;14(1):146-56.

PMID:13678675[PubMed - indexed for MEDLINE]

- ☐ Circulating amyloid-beta peptide crosses the blood-brain barrier in aged monkeys and contributes to Alzheimer's disease lesions.

15. Mackic JB, Bading J, Ghiso J, Walker L, Wisniewski T, Frangione B, Zlokovic BV.

Vascul Pharmacol. 2002 Jun;38(6):303-13.

PMID:12529925[PubMed - indexed for MEDLINE]

- ☐ Plasma levels of beta-amyloid (1-42) in Alzheimer's disease and mild cognitive impairment.

16. Pesaresi M, Lovati C, Bertora P, Mailland E, Galimberti D, Scarpini E, Quadri P, Forloni G, Mariani C.

Neurobiol Aging. 2006 Jun;27(6):904-5. Epub 2006 Apr 25.

PMID:16638622[PubMed - indexed for MEDLINE]

- ☐ Unaltered plasma levels of beta-amyloid(1-40) and beta-amyloid(1-42) upon stimulation of human platelets.

17. Olsson A, Vanmechelen E, Vanderstichele H, Davidsson P, Blennow K.

Dement Geriatr Cogn Disord. 2003;16(2):93-7.

PMID:12784033[PubMed - indexed for MEDLINE]

- ☐ Binding of human apolipoprotein E to synthetic amyloid beta peptide: isoform-specific effects and implications for late-onset Alzheimer disease.

18. Strittmatter WJ, Weisgraber KH, Huang DY, Dong LM, Salvesen GS, Pericak-Vance M, Schmechel D, Saunders AM, Goldgaber D, Roses AD.

Proc Natl Acad Sci U S A. 1993 Sep 1;90(17):8098-102.

PMID:8367470[PubMed - indexed for MEDLINE] Free PMC Article

- ☐ The influence of diagnosis, intra- and inter-person variability on serum and plasma Abeta levels.

19. Abdullah L, Paris D, Luis C, Quadros A, Parrish J, Valdes L, Keegan AP, Mathura V, Crawford F, Mullan M.

Neurosci Lett. 2007 Nov 27;428(2-3):53-8. Epub 2007 Oct 2.

PMID:17964720[PubMed - indexed for MEDLINE]

- ☐ Plasma and cerebrospinal fluid levels of amyloid beta proteins 1-40 and 1-42 in Alzheimer disease.

20. Mehta PD, Pirttilä T, Mehta SP, Sersen EA, Aisen PS, Wisniewski HM.

Arch Neurol. 2000 Jan;57(1):100-5.

PMID:10634455[PubMed - indexed for MEDLINE]

- ☐ Elevated plasma beta-amyloid peptide Abeta(42) levels, incident dementia, and mortality in Down syndrome.

21. Schupf N, Patel B, Pang D, Zigman WB, Silverman W, Mehta PD, Mayeux R.

Arch Neurol. 2007 Jul;64(7):1007-13.

PMID:17620492[PubMed - indexed for MEDLINE] Free PMC Article

- ☐ Plasma amyloid beta-protein and C-reactive protein in relation to the rate of progression of Alzheimer disease.

22. Locascio JJ, Fukumoto H, Yap L, Bottiglieri T, Growdon JH, Hyman BT, Irizarry MC.

Arch Neurol. 2008 Jun;65(6):776-85.

PMID:18541797[PubMed - indexed for MEDLINE] Free PMC Article

- ☐ P-glycoprotein efflux and other factors limit brain amyloid beta reduction by beta-site amyloid precursor protein-cleaving enzyme inhibitors in mice.

23. Meredith JE Jr, Thompson LA, Toyn JH, Marcin L, Barten DM, Marcinkeviciene J, Kopcho L, Kim Y, Lin A, Guss V, Burton C, Iben Polson C, Cantone J, Ford M, Drexler D, Fiedler T, Lentz KA, Grace JE Jr, Kolb J, Corsa J, Pierdomenico M, Jones K, Olson RE, M JE, Albright CF.

J Pharmacol Exp Ther. 2008 Aug;326(2):502-13. Epub 2008 May 22.

PMID:18499745[PubMed - indexed for MEDLINE] Free Article

- ☐ Brain to plasma amyloid-beta efflux: a measure of brain amyloid burden in a mouse model of Alzheimer's disease.

24. DeMattos RB, Bales KR, Cummins DJ, Paul SM, Holtzman DM.

Science. 2002 Mar 22;295(5563):2264-7.

PMID:11910111[PubMed - indexed for MEDLINE] Free Article

- ☐ Plasma beta-amyloid and white matter lesions in AD, MCI, and cerebral amyloid angiopathy.

25. Gurol ME, Irizarry MC, Smith EE, Raju S, Diaz-Arrastia R, Bottiglieri T, Rosand J, Growdon JH, Greenberg SM.

Neurology. 2006 Jan 10;66(1):23-9.

PMID:16401840[PubMed - indexed for MEDLINE]

- ☐ Glutamine synthetase, hemoglobin alpha-chain, and macrophage migration inhibitory factor binding to amyloid beta-protein: the identification in rat brain by a novel affinity chromatography and in Alzheimer's disease brain by immunoprecipitation.

26. Oyama R, Yamamoto H, Titani K.

Biochim Biophys Acta. 2000 Jun 15;1479(1-2):91-102.

PMID:11004532[PubMed - indexed for MEDLINE]

- ☐ Amyloid-targeted therapeutics in Alzheimer's disease: use of human albumin in plasma exchange as a novel approach for Aβ mobilization.

27. Boada M, Ortiz P, Anaya F, Hernández I, Muñoz J, Núñez L, Olazarán J, Roca I, Cuberas G, Tárraga L, Buendia M, Pla RP, Ferre Pérez A.

Drug News Perspect. 2009 Jul-Aug;22(6):325-39. Review.

PMID:19771322[PubMed - indexed for MEDLINE]

- ☐ Elevated plasma amyloid beta-peptide 1-42 and onset of dementia in adults with Down syndrome.

28. Schupf N, Patel B, Silverman W, Zigman WB, Zhong N, Tycko B, Mehta PD, Mayeux R.

Neurosci Lett. 2001 Apr 6;301(3):199-203.

PMID:11257432[PubMed - indexed for MEDLINE]

- ☐ Amyloid beta-peptide is transported on lipoproteins and albumin in human plasma.

29. Biere AL, Ostaszewski B, Stimson ER, Hyman BT, Maggio JE, Selkoe DJ.

J Biol Chem. 1996 Dec 20;271(51):32916-22.

PMID:8955133[PubMed - indexed for MEDLINE] Free Article

- ☐ Selection of D-amino-acid peptides that bind to Alzheimer's disease amyloid peptide Aβ1-42 by mirror image phage display.

30. Wiesehan K, Buder K, Linke RP, Patt S, Stoldt M, Unger E, Schmitt B, Bucci E, Willbold D.

Chembiochem. 2003 Aug 4;4(8):748-53.

PMID:12898626[PubMed - indexed for MEDLINE]

- ☐ Plasma amyloid beta protein 1-42 levels in fetuses with Down syndrome.

31. Bartha JL, Soothill PW.

Early Hum Dev. 2005 Apr;81(4):351-4. Epub 2004 Oct 22.

PMID:15814219[PubMed - indexed for MEDLINE]

- ☐ Binding of amyloid beta-protein to intracellular brain proteins in rat and human.

Ray I, Chauhan A, Wisniewski HM, Wegiel J, Kim KS, Chauhan VP.

32. Neurochem Res. 1998 Oct;23(10):1277-82.
PMID:9804283[PubMed - indexed for MEDLINE]
- ☐ [Plasma amyloid beta-peptide 1-42 and incipient Alzheimer's disease.](#)
33. Mayeux R, Tang MX, Jacobs DM, Manly J, Bell K, Merchant C, Small SA, Stern Y, Wisniewski HM, Mehta PD.
Ann Neurol. 1999 Sep;46(3):412-6.
PMID:10482274[PubMed - indexed for MEDLINE]
- ☐ [Peripheral anti-A beta antibody alters CNS and plasma A beta clearance and decreases brain A beta burden in a mouse model of Alzheimer's disease.](#)
34. DeMattos RB, Bales KR, Cummins DJ, Dodart JC, Paul SM, Holtzman DM.
Proc Natl Acad Sci U S A. 2001 Jul 17;98(15):8850-5. Epub 2001 Jul 3.
PMID:11438712[PubMed - indexed for MEDLINE] [Free PMC Article](#)
- ☐ [\[\(11\)C\]PIB-amyloid binding and levels of Abeta40 and Abeta42 in postmortem brain tissue from Alzheimer patients.](#)
35. Svedberg MM, Hall H, Hellström-Lindahl E, Estrada S, Guan Z, Nordberg A, Långström B.
Neurochem Int. 2009 May-Jun;54(5-6):347-57. Epub 2008 Dec 30.
PMID:19162107[PubMed - indexed for MEDLINE]
- ☐ [Albumin protects human red blood cells against Abeta25-35-induced lysis more effectively than ApoE.](#)
36. Galeazzi L, Galeazzi R, Valli MB, Corder EH, Giunta S.
Neuroreport. 2002 Nov 15;13(16):2149-54.
PMID:12438944[PubMed - indexed for MEDLINE]
- ☐ [The binding constant for amyloid Abeta40 peptide interaction with human serum albumin.](#)
37. Rózga M, Kłoniecki M, Jabłowska A, Dadlez M, Bal W.
Biochem Biophys Res Commun. 2007 Dec 21;364(3):714-8. Epub 2007 Oct 23.
PMID:18028874[PubMed - indexed for MEDLINE]
- ☐ [Plasma amyloid-beta peptide levels correlate with adipocyte amyloid precursor protein gene expression in obese individuals.](#)
38. Lee YH, Martin JM, Maple RL, Tharp WG, Pratley RE.
Neuroendocrinology. 2009;90(4):383-90. Epub 2009 Aug 12.
PMID:19872057[PubMed - indexed for MEDLINE]
- ☐ [Enrichment and analysis of Alzheimer's Abeta1-42 peptide in human plasma and whole blood.](#)
39. Ditto NT, Kline TR, Alfinito PD, Slemmon JR.
J Neurosci Methods. 2009 Sep 15;182(2):260-5. Epub 2009 Jun 9.
PMID:19520113[PubMed - indexed for MEDLINE]
- ☐ [Quantification of Alzheimer amyloid beta peptides ending at residues 40 and 42 by novel ELISA systems.](#)
40. Jensen M, Hartmann T, Engvall B, Wang R, Uljon SN, Sennvik K, Näslund J, Muehlhauser F, Nordstedt C, Beyreuther K, Lannfelt M.
Mol Med. 2000 Apr;6(4):291-302.
PMID:10949910[PubMed - indexed for MEDLINE] [Free PMC Article](#)
- ☐ [Plasma A\[beta\]40 and A\[beta\]42 and Alzheimer's disease: relation to age, mortality, and risk.](#)
41. Mayeux R, Honig LS, Tang MX, Manly J, Stern Y, Schupf N, Mehta PD.
Neurology. 2003 Nov 11;61(9):1185-90.
PMID:14610118[PubMed - indexed for MEDLINE]
- ☐ [Solid-phase extraction enhances detection of beta-amyloid peptides in plasma and enables Abeta quantification following passive immunization with Abeta antibodies.](#)
42. Lanz TA, Schachter JB.
J Neurosci Methods. 2008 Mar 30;169(1):16-22. Epub 2007 Nov 22.
PMID:18160105[PubMed - indexed for MEDLINE]
- ☐ [Serum creatinine levels correlate with plasma amyloid Beta protein.](#)
43. Arvanitakis Z, Lucas JA, Younkin LH, Younkin SG, Graff-Radford NR.
Alzheimer Dis Assoc Disord. 2002 Jul-Sep;16(3):187-90.
PMID:12218650[PubMed - indexed for MEDLINE]

- ☐ [Predictors of long-term treatment effect of rivastigmine in Alzheimer's disease: a role for beta-amyloid plasma levels?](#)
44. Sobów T, Kłoszewska I, Flirski M, Liberski P.
Neurol Neurochir Pol. 2009 Nov-Dec;43(6):507-16.
PMID:20054753[PubMed - indexed for MEDLINE] Free Article
- ☐ [Lipoprotein-free amyloidogenic peptides in plasma are elevated in patients with sporadic Alzheimer's disease and Down's syndrome.](#)
45. Matsubara E, Ghiso J, Frangione B, Amari M, Tomidokoro Y, Ikeda Y, Harigaya Y, Okamoto K, Shoji M.
Ann Neurol. 1999 Apr;45(4):537-41.
PMID:10211483[PubMed - indexed for MEDLINE]
- ☐ [Increased amyloid beta protein levels in children and adolescents with Down syndrome.](#)
46. Mehta PD, Capone G, Jewell A, Freedland RL.
J Neurol Sci. 2007 Mar 15;254(1-2):22-7. Epub 2007 Feb 2.
PMID:17275850[PubMed - indexed for MEDLINE]
- ☐ [Intranasal insulin improves cognition and modulates beta-amyloid in early AD.](#)
47. Reger MA, Watson GS, Green PS, Wilkinson CW, Baker LD, Cholerton B, Fishel MA, Plymate SR, Breitner JC, DeGroodt W, Mehl Craft S.
Neurology. 2008 Feb 5;70(6):440-8. Epub 2007 Oct 17. Erratum in: Neurology. 2008 Sep 9;71(11):866.
PMID:17942819[PubMed - indexed for MEDLINE]
- ☐ [Aluminum-sensitive degradation of amyloid beta-protein 1-40 by murine and human intracellular enzymes.](#)
48. Banks WA, Maness LM, Banks MF, Kastin AJ.
Neurotoxicol Teratol. 1996 Nov-Dec;18(6):671-7. Erratum in: Neurotoxicol Teratol 1997 Jan-Feb;19(1):73.
PMID:8947944[PubMed - indexed for MEDLINE]
- ☐ [Alzheimer's theory makes a splash.](#)
49. Schnabel J.
Nature. 2009 May 21;459(7245):310. No abstract available.
PMID:19458681[PubMed - indexed for MEDLINE]
- ☐ [Binding sites of amyloid beta-peptide in cell plasma membrane and implications for Alzheimer's disease.](#)
50. Verdier Y, Penke B.
Curr Protein Pept Sci. 2004 Feb;5(1):19-31. Review.
PMID:14965318[PubMed - indexed for MEDLINE]
- ☐ [Plasma levels of alpha beta peptides are altered in amnesic mild cognitive impairment but not in sporadic Alzheimer's disease.](#)
51. Sobów T, Flirski M, Kłoszewska I, Liberski PP.
Acta Neurobiol Exp (Wars). 2005;65(2):117-24.
PMID:15960295[PubMed - indexed for MEDLINE] Free Article
- ☐ [Matrix metalloproteinase 3 haplotypes and plasma amyloid beta levels: the Rotterdam Study.](#)
52. Reitz C, van Rooij FJ, Soares HD, de Maat MP, Hofman A, Witteman JC, Breteler MM.
Neurobiol Aging. 2010 Apr;31(4):715-8. Epub 2008 Jul 7.
PMID:18608478[PubMed - indexed for MEDLINE]
- ☐ [Characterization of copper interactions with alzheimer amyloid beta peptides: identification of an attomolar-affinity copper bind site on amyloid beta1-42.](#)
53. Atwood CS, Scarpa RC, Huang X, Moir RD, Jones WD, Fairlie DP, Tanzi RE, Bush AI.
J Neurochem. 2000 Sep;75(3):1219-33.
PMID:10936205[PubMed - indexed for MEDLINE]
- ☐ [Decreased plasma and cerebrospinal fluid levels of stem cell factor in patients with early Alzheimer's disease.](#)
54. Laske C, Stellos K, Stransky E, Seizer P, Akcay O, Eschweiler GW, Leyhe T, Gawaz M.
J Alzheimers Dis. 2008 Nov;15(3):451-60.
PMID:18997298[PubMed - indexed for MEDLINE]
- ☐ [\[Cloning and expression of human single-chain Fv antibody against amyloid beta peptide involved in Alzheimer's disease\].](#)

55. Cai J, Wang SZ, Peng Y, Zhong YW, Ji ZJ, Yuan JG, Qiang BQ.
Zhongguo Yi Xue Ke Xue Yuan Xue Bao. 2003 Oct;25(5):557-62. Chinese.
PMID:14860158[PubMed - indexed for MEDLINE]
- ☐ Humoral immune response to fibrillar beta-amyloid peptide.
56. Miller DL, Currie JR, Mehta PD, Potempska A, Hwang YW, Wegiel J.
Biochemistry. 2003 Oct 14;42(40):11682-92.
PMID:14529278[PubMed - indexed for MEDLINE]
- ☐ [Neuroimaging in Alzheimer's disease: findings in plasmapheresis with albumin].
57. Roca I, Cuberas-Borros G.
Rev Neurol. 2010 Mar 16;50 Suppl 5:S19-22. Spanish.
PMID:20517885[PubMed - indexed for MEDLINE] Free Article
- ☐ Using peptide nucleic acids as gene-expression modifiers to reduce beta-amyloid levels.
58. McMahon BM, Stewart J, Fauq A, Younkin S, Younkin L, Richelson E.
J Mol Neurosci. 2002 Aug-Oct;19(1-2):71-6.
PMID:12212797[PubMed - indexed for MEDLINE]
- ☐ Association of low plasma Abeta42/Abeta40 ratios with increased imminent risk for mild cognitive impairment and Alzheimer disease.
59. Graff-Radford NR, Crook JE, Lucas J, Boeve BF, Knopman DS, Ivnik RJ, Smith GE, Younkin LH, Petersen RC, Younkin SG.
Arch Neurol. 2007 Mar;64(3):354-62. Erratum in: Arch Neurol. 2007 Sep;64(9):1246.
PMID:17353377[PubMed - indexed for MEDLINE] Free Article
- ☐ Requirement of aggregation propensity of Alzheimer amyloid peptides for neuronal cell surface binding.
60. Bateman DA, McLaurin J, Chakrabarty A.
BMC Neurosci. 2007 May 2;8:29.
PMID:17475015[PubMed - indexed for MEDLINE] Free PMC Article
- ☐ Transport of Alzheimer disease amyloid-beta-binding D-amino acid peptides across an in vitro blood-brain barrier model.
61. Liu H, Funke SA, Willbold D.
Rejuvenation Res. 2010 Apr-Jun;13(2-3):210-3.
PMID:19954305[PubMed - indexed for MEDLINE]
- ☐ Neprilysin and amyloid beta peptide degradation.
62. Hersh LB, Rodgers DW.
Curr Alzheimer Res. 2008 Apr;5(2):225-31. Review.
PMID:18393807[PubMed - indexed for MEDLINE]
- ☐ beta-Amyloid peptide vaccination results in marked changes in serum and brain Abeta levels in APPswe/PS1DeltaE9 mice, as detected by SELDI-TOF-based ProteinChip technology.
63. Vehmas AK, Borchelt DR, Price DL, McCarthy D, Wills-Karp M, Peper MJ, Rudow G, Luyinbazi J, Siew LT, Troncoso JC.
DNA Cell Biol. 2001 Nov;20(11):713-21.
PMID:11788049[PubMed - indexed for MEDLINE]
- ☐ Is plasma amyloid-beta a reliable biomarker for Alzheimer's disease?
64. Zetterberg H.
Recent Pat CNS Drug Discov. 2008 Jun;3(2):109-11. Review.
PMID:18537770[PubMed - indexed for MEDLINE]
- ☐ Design and chemical synthesis of a magnetic resonance contrast agent with enhanced in vitro binding, high blood-brain barrier permeability, and in vivo targeting to Alzheimer's disease amyloid plaques.
65. Poduslo JF, Curran GL, Peterson JA, McCormick DJ, Fauq AH, Khan MA, Wengenack TM.
Biochemistry. 2004 May 25;43(20):6064-75.
PMID:15147190[PubMed - indexed for MEDLINE] Free PMC Article
- ☐ Final Report on Carcinogens Background Document for Formaldehyde.
66. National Toxicology Program.

Rep Carcinog Backgr Doc. 2010 Jan;(10-5981):i-512.

PMID:20737003[PubMed - as supplied by publisher]

- ☐ Two-site binding of beta-cyclodextrin to the Alzheimer Abeta(1-40) peptide measured with combined PFG-NMR diffusion and induced chemical shifts.
67. Danielsson J, Jarvet J, Damberg P, Gräslund A.
Biochemistry. 2004 May 25;43(20):6261-9.
PMID:15147210[PubMed - indexed for MEDLINE]
- ☐ Receptor-mediated transport of human amyloid beta-protein 1-40 and 1-42 at the blood-brain barrier.
68. Poduslo JF, Curran GL, Sanyal B, Selkoe DJ.
Neurobiol Dis. 1999 Jun;6(3):190-9.
PMID:10408808[PubMed - indexed for MEDLINE]
- ☐ Detection of amyloid plaques by radioligands for Abeta40 and Abeta42: potential imaging agents in Alzheimer's patients.
69. Kung MP, Skovronsky DM, Hou C, Zhuang ZP, Gur TL, Zhang B, Trojanowski JQ, Lee VM, Kung HF.
J Mol Neurosci. 2003 Feb;20(1):15-24.
PMID:12663930[PubMed - indexed for MEDLINE]
- ☐ Alzheimer disease macrophages shuttle amyloid-beta from neurons to vessels, contributing to amyloid angiopathy.
70. Zaghi J, Goldenson B, Inayathullah M, Lossinsky AS, Masoumi A, Avagyan H, Mahanian M, Bernas M, Weinand M, Rosenthal MJ, Espinosa-Jeffrey A, de Vellis J, Teplow DB, Fiala M.
Acta Neuropathol. 2009 Feb;117(2):111-24. Epub 2009 Jan 13.
PMID:19139910[PubMed - indexed for MEDLINE]
- ☐ Peripheral clearance of amyloid beta peptide by complement C3-dependent adherence to erythrocytes.
71. Rogers J, Li R, Mastroeni D, Grover A, Leonard B, Ahern G, Cao P, Kolody H, Vedders L, Kolb WP, Sabbagh M.
Neurobiol Aging. 2006 Dec;27(12):1733-9. Epub 2005 Nov 14.
PMID:16290270[PubMed - indexed for MEDLINE]
- ☐ High levels of circulating Abeta42 are sequestered by plasma proteins in Alzheimer's disease.
72. Kuo YM, Emmerling MR, Lampert HC, Hempelman SR, Kokjohn TA, Woods AS, Cotter RJ, Roher AE.
Biochem Biophys Res Commun. 1999 Apr 21;257(3):787-91.
PMID:10208861[PubMed - indexed for MEDLINE]
- ☐ Vector-mediated delivery of 125I-labeled beta-amyloid peptide A beta 1-40 through the blood-brain barrier and binding to Alzheimer disease amyloid of the A beta 1-40/vector complex.
73. Saito Y, Buciak J, Yang J, Pardridge WM.
Proc Natl Acad Sci U S A. 1995 Oct 24;92(22):10227-31.
PMID:7479757[PubMed - indexed for MEDLINE] Free PMC Article
- ☐ Decreased beta-amyloid1-42 and increased tau levels in cerebrospinal fluid of patients with Alzheimer disease.
74. Sunderland T, Linker G, Mirza N, Putnam KT, Friedman DL, Kimmel LH, Bergeson J, Manetti GJ, Zimmermann M, Tang B, Bartko Cohen RM.
JAMA. 2003 Apr 23-30;289(16):2094-103. Erratum in: JAMA. 2007 Oct 3;298(13):1516.
PMID:12709467[PubMed - indexed for MEDLINE] Free Article
- ☐ Ca(2+)-dependent binding of human serum amyloid P component to Alzheimer's beta-amyloid peptide.
75. Hamazaki H.
J Biol Chem. 1995 May 5;270(18):10392-4.
PMID:7737971[PubMed - indexed for MEDLINE] Free Article
- ☐ NACP, the precursor protein of the non-amyloid beta/A4 protein (A beta) component of Alzheimer disease amyloid, binds A beta and stimulates A beta aggregation.
76. Yoshimoto M, Iwai A, Kang D, Otero DA, Xia Y, Saitoh T.
Proc Natl Acad Sci U S A. 1995 Sep 26;92(20):9141-5.
PMID:7568089[PubMed - indexed for MEDLINE] Free PMC Article
- ☐ Synthesis and evaluation of two 18F-labeled 6-iodo-2-(4'-N,N-dimethylamino)phenylimidazo[1,2-a]pyridine derivatives as prospective radioligands for beta-amyloid in Alzheimer's disease.

77. Cai L, Chin FT, Pike VW, Toyama H, Liow JS, Zoghbi SS, Modell K, Briard E, Shetty HU, Sinclair K, Donohue S, Tipre D, Kung MF, Dagostin C, Widdowson DA, Green M, Gao W, Herman MM, Ichise M, Innis RB.
J Med Chem. 2004 Apr 22;47(9):2208-18.
PMID:15084119[PubMed - indexed for MEDLINE]
- ☐ Reduced levels of amyloid beta-peptide antibody in Alzheimer disease.
78. Du Y, Dodel R, Hampel H, Buerger K, Lin S, Eastwood B, Bales K, Gao F, Moeller HJ, Oertel W, Farlow M, Paul S.
Neurology. 2001 Sep 11;57(5):801-5.
PMID:11552007[PubMed - indexed for MEDLINE]
- ☐ Amyloid-beta peptide binds to microtubule-associated protein 1B (MAP1B).
79. Gevorkian G, Gonzalez-Noriega A, Acero G, Ordoñez J, Michalak C, Munguia ME, Govezensky T, Cribbs DH, Manoutcharian K.
Neurochem Int. 2008 May;52(6):1030-6. Epub 2007 Nov 12.
PMID:18079022[PubMed - indexed for MEDLINE] Free PMC Article
- ☐ Amyloid beta protein in plasma from patients with sporadic Alzheimer's disease.
80. Tamaoka A, Fukushima T, Sawamura N, Ishikawa K, Oguni E, Komatsuzaki Y, Shoji S.
J Neurol Sci. 1996 Sep 15;141(1-2):65-8.
PMID:880695[PubMed - indexed for MEDLINE]
- ☐ Fusogenic properties of the C-terminal domain of the Alzheimer beta-amyloid peptide.
81. Pillot T, Goethals M, Vanloo B, Talusot C, Brasseur R, Vandekerckhove J, Rosseneu M, Lins L.
J Biol Chem. 1996 Nov 15;271(46):28757-65.
PMID:8910517[PubMed - indexed for MEDLINE] Free Article
- ☐ Pharmacokinetics and amyloid plaque targeting ability of a novel peptide-based magnetic resonance contrast agent in wild-type and Alzheimer's disease transgenic mice.
82. Kandimalla KK, Wengenack TM, Curran GL, Gilles EJ, Poduslo JF.
J Pharmacol Exp Ther. 2007 Aug;322(2):541-9. Epub 2007 May 15.
PMID:17505020[PubMed - indexed for MEDLINE] Free Article
- ☐ Surface plasmon resonance for the analysis of beta-amyloid interactions and fibril formation in Alzheimer's disease research.
83. Aguilar MI, Small DH.
Neurotox Res. 2005;7(1-2):17-27. Review.
PMID:15639795[PubMed - indexed for MEDLINE]
- ☐ Plasma levels of amyloid beta-protein 42 are increased in women with mild cognitive impairment.
84. Assini A, Cammarata S, Vitali A, Colucci M, Giliberto L, Borghi R, Inglese ML, Volpe S, Ratto S, Dagna-Bicarelli F, Baldo C, Argus Odetti P, Piccini A, Tabaton M.
Neurology. 2004 Sep 14;63(5):828-31.
PMID:15365131[PubMed - indexed for MEDLINE]
- ☐ Electrophoretic separation of amyloid beta peptides in plasma.
85. Lewczuk P, Esselmann H, Bibl M, Paul S, Svitek J, Miertschischk J, Meyrer R, Smirnov A, Maler JM, Klein C, Otto M, Bleich S, Spil W, Kornhuber J, Rütger E, Wiltfang J.
Electrophoresis. 2004 Oct;25(20):3336-43.
PMID:15490456[PubMed - indexed for MEDLINE]
- ☐ Plasma levels of Abeta42 and Abeta40 in Alzheimer patients during treatment with the acetylcholinesterase inhibitor tacrine.
86. Basun H, Nilsberth C, Eckman C, Lannfelt L, Younkin S.
Dement Geriatr Cogn Disord. 2002;14(3):156-60.
PMID:12218259[PubMed - indexed for MEDLINE]
- ☐ Identification of a stable fragment of the Alzheimer amyloid precursor containing the beta-protein in brain microvessels.
87. Tamaoka A, Kalaria RN, Lieberburg I, Selkoe DJ.
Proc Natl Acad Sci U S A. 1992 Feb 15;89(4):1345-9.
PMID:1531538[PubMed - indexed for MEDLINE] Free PMC Article
- ☐

88. Understanding the molecular basis for the inhibition of the Alzheimer's Abeta-peptide oligomerization by human serum albumin using saturation transfer difference and off-resonance relaxation NMR spectroscopy.
Milojevic J, Esposito V, Das R, Melacini G.
J Am Chem Soc. 2007 Apr 11;129(14):4282-90. Epub 2007 Mar 17.
PMID:17367135[PubMed - indexed for MEDLINE]
- ☐ Novel therapeutic approach for the treatment of Alzheimer's disease by peripheral administration of agents with an affinity to b
89. amyloid.
Matsuoka Y, Saito M, LaFrancois J, Saito M, Gaynor K, Olm V, Wang L, Casey E, Lu Y, Shiratori C, Lemere C, Duff K.
J Neurosci. 2003 Jan 1;23(1):29-33.
PMID:12514198[PubMed - indexed for MEDLINE] Free Article
- ☐ Plasma biomarkers of Alzheimer's disease.
90. Kwarabayashi T, Shoji M.
Curr Opin Psychiatry. 2008 May;21(3):260-7. Review.
PMID:18382225[PubMed - indexed for MEDLINE]
- ☐ High levels of Alzheimer beta-amyloid precursor protein (APP) in children with severely autistic behavior and aggression.
91. Sokol DK, Chen D, Farlow MR, Dunn DW, Maloney B, Zimmer JA, Lahiri DK.
J Child Neurol. 2006 Jun;21(6):444-9.
PMID:16946926[PubMed - indexed for MEDLINE]
- ☐ An albumin fraction isolated from human plasma as a crystalline mercuric salt.
92. HUGHES WL Jr.
J Am Chem Soc. 1947 Jul;69(7):1836. No abstract available.
PMID:20251438[PubMed - indexed for MEDLINE]
- ☐ A comparison of the Howe and the electrophoretic methods for the determination of plasma albumin.
93. PETERMANN ML, YOUNG NF, HOGNESS KR.
J Biol Chem. 1947 Jul;169(2):379-87. No abstract available.
PMID:20251458[PubMed - indexed for MEDLINE]
- ☐ Some actions of beta-hydroxy-alpha-beta-diphenylethylamine.
94. Downman CB.
Br J Pharmacol Chemother. 1947 Sep;2(3):207-16. No abstract available.
PMID:19108121[PubMed] Free PMC Article
- ☐ 4 Plasma for Therapeutic Use.
95. [No authors listed]
Transfus Med Hemother. 2009;36(6):388-397. No abstract available.
PMID:21245970[PubMed] Free PMC Article